THE CANADIAN ENTOMOLOGIST

Index to Volume 122 (1990)

SUPPLEMENTS AND MEMOIRS

THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA

Alarie, Y., P.P. Harper, and **R.E. Roughley**. Description of the larvae of eleven Nearctic species of *Hygrotus* Stephens (Coleoptera: Dytiscidae: Hydroporinae) with an analysis of their phyletic relationships, 985.

Alfaro, R.I., and **C.C. Ying.** Levels of Sitka spruce weevil, *Pissodes strobi* (Peck), damage among Sitka spruce provenances and families near Sayward, British Columbia, 607.

Allen, W.R. See Broadbent *et al.*, 1111.

See Hagley and Allen, 1221.

Argentine, J.A. See Clark *et al.*, 1101.

Arnason, J.T. See Xie *et al.*, 1177.

Arthur, A.P., and **P.G. Mason.** Distribution and abundance of the sunflower stem weevil, *Cylindrocopturus adspersus* (LeConte) (Coleoptera: Curculionidae), in Saskatchewan, 387.

Arthur, A.P., and **Y.M. Powell.** Description of the immature stages of *Panzeria ampelus* (Walker) (Diptera: Tachinidae), an occasional parasitoid of the bertha armyworm, *Mamestra configurata* (Walker), in western Canada, 381.

Description of the last-instar larva of *Cochylis arthuri* Dang (Lepidoptera: Cochylidae) and characters for separating it from last-instar larva of *Cochylis hospes* Walsingham, 627.

Atkinson, J. See Xie *et al.*, 1177.

Atkinson, T.H., R.J. Rabaglia, and **D.E. Bright**. Newly detected exotic species of *Xyleborus* (Coleoptera: Scolytidae) with a revised key to species in eastern North America, 93.

Atton, F.M. *Gyrinus* (*Gyrinulus*) *cavatus* sp.nov. from North America described and compared with *Gyrinus* (*Gyrinulus*) *minutus* Fabricius (Coleoptera: Gyrinidae), 651.

Ayre, G.L. The response of flax to different population densities of the red-backed cutworm, *Euxoa ochrogaster* (Gn.) (Lepidoptera: Noctuidae), 21.

Ayre, G.L., and **R.J. Lamb.** Life histories, flight patterns, and relative abundance of nine cutworms (Lepidoptera: Noctuidae) in Manitoba, 1059.

Bai, B., and **M. Mackauer.** Host discrimination by the aphid parasitoid *Aphelinus asychis* (Hymenoptera: Aphelinidae): when superparasitism is not adaptive, 363.

Ball, G.E., and **D. Shpeley.** Synopsis of the Neotropical genus *Ozaena* Olivier: classification and reconstructed evolutionary history (Coleoptera: Carabidae: Ozaenini), 779.

Barker, P.S., and **L.B. Smith.** Influence of granary type and farm practices on the relative abundance of insects in granary residues, 393.

Barron, J.R. The Nearctic species of *Homaspis* (Hymenoptera, Ichneumonidae, Ctenopelmatinae), 191.

Bartel, D.L. See Vernon *et al.*, 525.

Bedard, W.D., G.T. Ferrell, M.C. Whitmore, and **A.S. Robertson.** Trapping evaluation of beetle vectors of black stain root disease in Douglas fir, 459.

Behan-Pelletier, V. Redefinition of *Megeremaeus* (Acari: Megeremaeidae) with description of new species, and nymphs of *M. montanus* Higgins Wooley, 875.

Biever, K.D., and **R.L. Chauvin.** Prolonged dormancy in a Pacific Northwest population of the Colorado potato beetle, *Leptinotarsa decemlineata* (Say) (Coleoptera: Chrysomelidae), 175.

Bissett, J. See Goerzen *et al.*, 1269.

Borden, J.H. See Miller and Borden, 301.

See Miller *et al.*, 401.

See Stock *et al.*, 935.

See Thistlewood *et al.*, 1045.

Borden, J.H., L.J. Chong, and **B.S. Lindgren**. Redundancy in the semiochemical message required to induce attack on lodgepole pines by the mountain pine beetle, *Dendroctonus ponderosae* Hopkins (Coleoptera: Scolytidae), 769.

Bousquet, Y. A reveiw of the North American species of *Rhyzophagus* Herbst and a revision of the Nearctic members of the subgenus *Anomophagus* Reitter (Coleoptera: Rhizophagidae), 131.

Bracken, G.K. Susceptibility of first-instar cabbage maggot, *Delia radicum* (L.) (Anthomyiidae: Diptera), to strains of the entomogenous nematodes *Steinernema feltiae* Filipjev, *S. bibionis* (Bovien), *Heterorhabditis bacteriophora* Poinar, and *H. heliothidis* (Khan, Brooks, and Hirschmann), 633.

Bright, D.E. See Atkinson *et al.*, 93.

Broadbent, A.B., J.A. Matteoni, and **W.R. Allen.** Feeding preferences of the western flower thrips, *Frankliniella occidentalis* (Pergande) (Thysanoptera: Thripidae), and incidence of tomato spotted wilt virus among cultivars of florist's chrysanthemum, 1111.

Butler, L. Parasitoids of a looper complex (Lepidoptera: Geometridae) in West Virginia, 1041.

Cameron, E.A., and **R.M. Reeves.** Carabidae (Coleoptera) associated with gypsy moth, *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae), populations subjected to *Bacillus thuringiensis* Berliner treatments in Pennsylvania, 123.

Campbell, B.C., and **P.J. Shea.** A simple staining technique for assessing feeding damage by *Leptoglossus occidentalis* Heidemann (Hemiptera: Coreidae) on cones, 963.

Campbell, J.M., and **S.B. Peck.** *Omalonomus relictus*, an unusual new genus and new species (Coleoptera: Staphylinidae, Omaliinae) of blind rove beetle; a pre-glacial (Tertiary?) relict in the Cypress Hills, Alberta–Saskatchewan, Canada, 949.
Cane, J.H. See Lewis and Cane, 1235.
Capinera, J.L. See Horton and Capinera, 113.
Chauvin, R.L. See Biever and Chauvin, 175.
Chong, L.J. See Borden *et al.*, 769.
Christie, J.E. See Galloway and Christie, 449.
Clark, J.M., J.R. Marion, L.J. Scarano, T.L. Potter, P.F. Gosselin, J.A. Argentine, and **J.S. Elkinton.** Neutral lipid content and fatty acid composition of 1,2-diacylglycerols in the hemolymph of the male gypsy moth, *Lymantria dispar* L. (Lepidoptera: Lymantriidae), 1101.
Clements, D.R., and **R. Harmsen.** Predatory behavior and prey-stage preferences of stigmaeid and phytoseiid mites and their potential compatibility in biological control, 321.
Cloutier, C. See Hébert and Cloutier, 329.
Colbo, M.H. See McCreadie and Colbo, 1137.
Converse, V. See Morris *et al.*, 309.
Croft, B.A. See Murphy and Croft, 595.
Croft, B.A., P. Shearer, G.J. Fields, and **H.W. Riedl.** Distribution of *Metaseiulus occidentalis* (Nesbitt) and *Typhlodromus pyri* Scheuten (Parasitiformes: Phytoseiidae) in apple orchards of the Hood River Valley, Oregon, 5.
Cusson, M., R.S. Vernon, and **B.D. Roitberg.** A sequential sampling plan for adult tuber flea beetles (*Epitrix tuberis* Gentner): dealing with "edge effects", 537.
De Clercq, P., and **D. Degheele.** Description and life history of the predatory bug *Podisus sagitta* (Fab.) (Hemiptera: Pentatomidae), 1149.
Degheele, D. See De Clercq and Degheele, 1149.
de Groot, P., and **T.J. Ennis.** Cytotaxonomy of *Conophthorus* (Coleoptera: Scolytidae) in eastern North America, 1131.
Ebling, P.M. See Kaupp and Ebling, 1037.
Elkinton, J.S. See Clark *et al.*, 1101.
Elliott, N.C. See Kieckhefer and Elliott, 579.
Elliott, N.C., J.J. Jackson, and **R.D. Gustin.** Predicting western corn rootworm beetle (Coleoptera: Chrysomelidae) emergence from the soil using soil or air temperature, 1079.
Elliott, N.C., D.R. Lance, and **S.L. Hansen.** Quantitative description of the influence of fluctuating temperatures on the reproductive biology and survival of the western corn rootworm, *Diabrotica virgifera virgifera* LeConte (Coleoptera: Chrysomelidae), 59.
Ennis, T.J. See de Groot and Ennis, 1131.
Erlandson, M.A. See Goerzen *et al.*, 1039.
See Goerzen *et al.*, 1269.
Ferrell, G.T. See Bedard *et al.*, 459.
Fields, G.J. See Croft *et al.*, 5.
Flannagan, J.F. See Lowen and Flannagan, 173.
Fox, J.W., D.L. Wood, and **C.S. Koehler.** Distribution and abundance of engraver beetles (Scolytidae: *Ips* species) on Monterey pines infected with pitch canker, 1157.
Freeman, B.E. See Garraway and Freeman, 217.
Galka, B. See Palaniswamy *et al.*, 1211.
Galloway, T.D., and **J.E. Christie.** Fleas (Siphonaptera) associated with ground squirrels (*Spermophilus* spp.) in Manitoba, Canada, 449.
Garraway, E., and **B.E. Freeman.** The population dynamics of *Ips grandicollis* (Eichhoff) (Coleoptera: Scolytidae) in Jamaica, 217.
Gassmann, A., and **J.D. Shorthouse.** Structural damage and gall induction by *Pegomya curticornis* and *Pegomya euphorbiae* (Diptera: Anthomyiidae) within the stems of leafy spurge (*Euphorbia* × *pseudovirgata*) (Euphorbiaceae), 429.
Gibson, G.A.P. Revision of the genus *Macroneura* Walker in America north of Mexico (Hymenoptera: Eupelmidae), 837.
Gillespie, D.R., and **D.M.J. Quiring.** Biological control of fungus gnats, *Bradysia* spp. (Diptera: Sciaridae), and western flower thrips, *Frankliniella occidentalis* (Pergande) (Thysanoptera: Thripidae), in greenhouses using a soil-dwelling predatory mite, *Geolaelaps* sp. nr. *aculeifer* (Canestrini) (Acari: Laelapidae), 975.
Goerzen, D.W., M.A. Erlandson, and **J. Bissett.** Occurrence of chalkbrood caused by *Ascosphaera aggregata* Skou in a native leafcutting bee, *Megachile relativa* Cresson (Hymenoptera: Megachilidae), in Saskatchewan, 1269.
Goerzen, D.W., M.A. Erlandson, and **K.C. Moore.** Effect of two insect viruses and two entomopathogenic fungi on larval and pupal development in the alfalfa leafcutting bee, *Megachile rotundata* (Fab.) (Hymenoptera: Megachilidae), 1039.

Goldhammer, D.S., F.M. Stephen, and **T.D. Paine.** The effect of the fungi *Ceratocystis minor* (Hedgecock) Hunt, *Ceratocystis minor* (Hedgecock) Hunt var. *barrasii* Taylor, and SJB 122 on reproduction of the southern pine beetle, *Dendroctonus frontalis* Zimmermann (Coleoptera: Scolytidae), 407.

Gordon, R. See Mulye and Gordon, 1271.

Gosselin, P. F. See Clark *et al.*, 1101.

Gray, D.R., E. Holsten, and **M. Pascuzzo.** Effects of semiochemical baiting on the attractiveness of felled and unfelled lethal trap trees for spruce beetle, *Dendroctonus rufipennis* (Kirby) (Coleoptera: Scolytidae), management of areas of high and low beetle populations, 373.

Gray, T.G. See Shepherd and Gray, 547.
See Shepherd and Gray, 555.

Gries, G. See Miller *et al.*, 401.

Gustin, R.D. See Elliott *et al.*, 1079.

Hagley, E.A.C., and **W.R. Allen.** The green apple aphid, *Aphis pomi* DeGeer (Homoptera: Aphididae), as prey of polyphagous arthropod predators in Ontario, 1221.

Hanson, S.L. See Elliott *et al.*, 59.

Harcourt, D.G. Displacement of *Bathyplectes curculionis* (Thoms.) (Hymenoptera: Ichneumonidae) by *B. anurus* (Thoms.) in eastern Ontario populations of the alfalfa weevil, *Hypera postica* (Gyll.) (Coleoptera: Curculionidae), 641.

Harding, J. See Morris *et al.*, 309.

Harmsen, R. See Clements and Harmsen, 321.

Harper, P.P. See Alarie *et al.*, 985.

Hébert, C., and **C. Cloutier.** Temperature-dependent development of eggs and larvae of *Winthemia funiferanae* Toth. (Diptera: Tachinidae), a larval–pupal parasitoid of the spruce budworm (Lepidoptera: Tortricidae), 329.

Henry, F.E. See Oma *et al.*, 583.

Holsten, E. See Gray *et al.*, 373.

Horton, D.R., and **J.L. Capinera.** Host utilization by Colorado potato beetle (Coleoptera: Chrysomelidae) in a potato/weed (*Solanum sarrachoides* Sendt.) system, 113.

House, N.L. See Larson and House, 469.

Howden, H.F., and **B.C. Ratcliffe.** An unusual new species of *Trigonopeltastes* Burmeister from Chiapas, Mexico (Coleoptera: Scarabaeidae: Trichiinae), 1.

Ishii, K., and **L. Liang.** Two new species of penicillate diplopods of the family Polyxenidae (Diplopoda: Penicillata) from China, 1239.

Jackson, J.J. See Elliott *et al.*, 1079.

Johnston, B.D. See Stock *et al.*, 935.

Kaupp, W.J., and **P.M. Ebling.** Response of third-, fourth-, fifth-, and sixth-instar spruce budworm, *Choristoneura fumiferana* (Clem.), larvae to nuclear polyhedrosis virus, 1037.

Kelker, D.H., D.A. Lee, and **J.R. Spence.** Use of standard temperature thresholds and phenological prediction for the European corn borer (*Ostrinia nubilalis* Hübner) in Alberta, 1247.

Kelton, L.A. See Schwartz and Kelton, 941.

Kieckhefer, R.W., and **N.C. Elliott.** A 13-year survey of the aphidophagous Coccinellidae in maize fields in eastern South Dakota, 579.

Kimball, J.C. See Roden *et al.*, 617.

Koehler, C.S. See Fox *et al.*, 1157.

Kusters, P.M. See Mason and Kusters, 825.

Lamb, R.J. See Ayre and Lamb, 1059.

Lamb, R.J., and **P. Palaniswamy.** Host discrimination by a crucifer-feeding flea beetle, *Phyllotreta striolata* (F.) (Coleoptera: Chrysomelidae), 817.

Lambert, J.D.H. See Xie *et al.*, 1177.

Lance, D.R. See Elliott *et al.*, 59.

Landry, B. Two new species of Diptychophora from Mexico (Lepidoptera: Pyralidae: Crambinae: Diptychophorini), 1071.

Larson, D.J., and **N.L. House.** Insect communities of Newfoundland bog pools with emphasis on the Odonata, 469.

Lee, D.A. See Kelker *et al.*, 1247.

Lehmkuhl, D.M. See St. Pierre and Lehmkuhl, 901.

LeSage, L. *Chaetocnema concinna* (Marsham, 1802), a European flea beetle introduced in North America (Coleoptera: Chrysomelidae: Alticinae), 647.
Description of a new Canadian species of *Altica* feeding on birch (Coleoptera: Chrysomelidae, Alticinae), 1229.

Lewis, E.E., and **J.H. Cane.** Pheromonal specificity of southeastern *Ips* pine bark beetles reflects phylogenetic divergence (Coleoptera: Scolytidae), 1235.

Liang, L. See Ishii and Liang, 1239.

Lindgren, B.S. See Borden *et al.*, 769
Liu, T.P., and **Y.-S. Peng.** Palpal tarsal sensilla of the female mite, *Varroa jacobsoni* Oudemans (Acari: Varroidae), 295.
Loschiavo, S.R. See Madrid *et al.*, 515.
Lowen, R.G., and **J.F. Flannagan.** *Centroptilum infrequens* McDunnough (Ephemeroptera: Baetidae), a junior synonym of *Pseudocentroptilum pennulatus* (Eaton), 173.
Lysyk, T.J. Relationships between spruce budworm (Lepidoptera: Tortricidae) egg mass density and resultant defoliation of balsam fir and white spruce, 253.
Mackauer, M. See Völkl and Mackauer, 349.
See Bai and Mackauer, 363.
Mackay, P.A. See Soroka and Mackay, 503.
See Soroka and Mackay, 1193.
See Soroka and Mackay, 1201.
Mackenzie, J.R. See Vernon *et al.*, 525.
Madrid, F.J., N.D.G. White, and **S.R. Loschiavo.** Insects in stored cereals, and their association with farming practices in southern Manitoba, 515.
Marion, J.R. See Clark *et al.*, 1101.
Marsden, R.M. See Thier and Marsden, 343.
Mason, P.G. See Arthur and Mason, 387.
Mason, P.G., and **P.M. Kusters.** Seasonal activity of female black flies (Diptera: Simuliidae) in pastures in northeastern Saskatchewan, 825.
Matteoni, J.A. See Broadbent *et al.*, 1111.
McCreadie, J.W., and **M.H. Colbo.** Allometry in the last larval instars of *Simulium truncatum* (Lundström) and *S. rostratum* (Lumdström) (Diptera: Simuliidae), 1137.
McDermott, G.J., R.M. Nowierski, and **J.M. Story.** First report of establishment of *Calophasia lunula* Hufn. (Lepidoptera: Noctuidae) on Dalmatian toadflax, *Linaria genistifolia* ssp. *dalmatica* (L.) Maire and Petitmengin, in North America, 767.
McLean, J.A. See Salom and McLean, 43.
See Sweeney *et al.*, 1119.
McMullen, R.C. See Thistlewood *et al.*, 1045.
Miller, D.R., and **J.H. Borden.** The use of monoterpenes as kairomones by *Ips latidens* (LeConte) (Coleoptera: Scolytidae), 301.
Miller, D.R., G. Gries, and **J.H. Borden.** *E*-Myrcenol: a new pheromone for the pine engraver, *Ips pini* (Say) (Coleoptera: Scolytidae), 401.
Moore, K.C. See Goerzen *et al.*, 1039.
Morand, P. See Xie *et al.*, 1177.
Morris, O.N., V. Converse, and **J. Harding.** Virulence of entomopathogenic nematode–bacteria complexes for larvae of noctuids, a geometrid, and a pyralid, 309.
Mulye, H., and **R. Gordon.** A method for rearing the larval stages of the eastern spruce budworm, *Choristoneura fumiferana* Clemens (Lepidoptera: Tortricidae), for physiological studies, 1271.
Murphy, C.F., and **B.A. Croft.** Forest ant composition and foraging following aerial spraying of carbaryl to suppress western spruce budworm, 595.
Nealis, V., and **K. van Frankenhuyzen.** Interactions between *Bacillus thuringiensis* Berliner and *Apanteles fumiferanae* Vier. (Hymenoptera: Braconidae), a parasitoid of the spruce budworm, *Choristoneura fumiferana* (Clem.) (Lepidoptera: Tortricidae), 585.
Neil, K.A., and **H.B. Specht.** Field releases of *Trichogramma pretiosum* Riley (Hymenoptera: Trichogrammatidae) for suppression of corn earworm, *Heliothis zea* (Boddie) (Lepidoptera: Noctuidae), egg populations on sweet corn in Nova Scotia, 1259.
Nowierski, R.M. See McDermott *et al.*, 767.
Oma, E.A., D.A. Streett, and **F.E. Henry.** Establishment of a nondiapause *Melanoplus differentialis* (Thomas) (Orthoptera: Acrididae), 583.
O'Neil, R.J. See Wiedenmann and O'Neil, 271.
O'Neil, R.J., and **R.N. Wiedenmann.** Body weight of *Podisus maculiventris* (Say) under various feeding regimens, 285.
Paine, T.D. See Goldhammer *et al.*, 407.
Palaniswamy, P. See Lamb and Palaniswamy, 817.
Palaniswamy, P., B. Galka, and **B. Timlick.** Phenology and infestation level of the European corn borer, *Ostrinia nubilalis* (Hübner) (Lepidoptera: Pyralidae), in southern Manitoba, 1211.
Pascuzzo, M. See Gray *et al.*, 373.
Peck, S.B. See Campbell and Peck, 949.
Pelletier, Y. The effect of water stress and leaflet size on the density of trichomes and the resistance to Colorado potato beetle larvae (*Leptinotarsa decemlineata* [Say]) in *Solanum berthaultii* Hawkes, 1141.
Peng, Y.-S. See Liu and Peng, 295.

Philip, K.W. See Troubridge and Philip, 15.
Phillips, T.W. Attraction of *Hylobius pales* (Herbst) (Coleoptera: Curculionidae) to pheromones of bark beetles (Coleoptera: Scolytidae), 423.
Philogène, B.J.R. See Xie *et al.*, 1177.
Pierce, H.D., Jr. See Stock *et al.*, 935.
Potter, T.L. See Clark *et al.*, 1101.
Powell, Y.M. See Arthur and Powell, 381.
See Arthur and Powell, 627.
Pratt, T.L. See Stock *et al.*, 935.
Pree, D.J. See Trimble *et al.*, 969.
Prévost, Y.H. Spruce cone axis midge, *Dasineura rachiphaga* Tripp (Diptera: Cecidomyiidae), in cones of black spruce, *Picea mariana* (Mill.) B.S.P., 441.
Quednau, F.W. Two new genera and three new species of drepanosiphine aphids from the Nearctic and Neotropical regions (Homoptera: Aphididae), 907.
Introduction, permanent establishment, and dispersal in eastern Canada of *Olesicampe geniculatae* Quednau and Lim (Hymenoptera: Ichneumonidae), an important biological control agent of the mountain ash sawfly, *Pristiphora geniculata* (Hartig) (Hymenoptera: Tenthredinidae), 921.
Quiring, D.M.J. See Gillespie and Quiring, 975.
Rabaglia, R.J. See Atkinson *et al.*, 93.
Ratcliffe, B.C. See Howden and Ratcliffe, 1.
Reeves, R.M. See Cameron and Reeves, 123.
Riedl, H.W. See Croft *et al.*, 5.
Robertson, A.S. See Bedard *et al.*, 459.
Roden, D.B., J.C. Kimball, and **G.A. Simmons.** A laboratory technique to study a change in feeding behavior between small and large larvae of gypsy moth, *Lymantria dispar* (L.), 617.
Roitberg, B.D. See Cusson *et al.*, 537.
Roughley, R.E. See Alarie *et al.*, 985.
Salom, S.M., and **J.A. McLean.** Dispersal of *Trypodendron lineatum* (Olivier) within a valley setting, 43.
Sanborne, M. Description of *Cymodusa borealis*, a new species of Ichneumonidae from the Canadian arctic, 105.
Description of *Sinophorus wushensis*, a new species of Ichneumonidae from Taiwan (Hymenoptera), 109.
A new species and subspecies of *Cymodusopsis* Viereck from the Nearctic region (Hymenoptera: Ichneumonidae), 389.
Sanborne, P.M. Discovery of *Nemeritis* Holmgren (Hymenoptera: Ichneumonidae) in eastern North America, 1267.
Sanders, C.J. Responses of male spruce budworm moths to sex pheromone released from filter paper and rubber septa, 263.
Sanders, C.J., and **G.G. Wilson**. Flight duration of male spruce budworm (*Choristoneura fumiferana* [Clem.]) and attractiveness of female spruce budworm are unaffected by microsporidian infection or moth size, 419.
Scarano, L.J. See Clark *et al.*, 1101.
Schwartz, M.D., and **L.A. Kelton.** *Psallus salicicola*, a new species, with additional records of recently discovered Palearctic *Psallus* Fieber from Canada (Heteroptera: Miridae: Phylinae), 941.
Shea, P.J. See Campbell and Shea, 963.
Shearer, P. See Croft *et al.*, 5.
Shepherd, R.F. See Sweeney *et al.*, 1119.
Shepherd, R.F., and **T.G. Gray.** Distribution of eggs of western blackheaded budworm, *Acleris gloverana* (Walsingham) (Lepidoptera: Tortricidae), and of foliage over the crowns of western hemlock, *Tsuga heterophylla* (Raf.) Sarg., 547.
A sampling system for eggs of western blackheaded budworm, *Acleris gloverana* (Walsingham) (Lepidoptera: Tortricidae), on western hemlock, *Tsuga heterophylla* (Raf.) Sarg., 555.
Shorthouse, J.D. See Gassmann and Shorthouse, 429.
Shpeley, D. See Ball and Shpeley, 779.
Simmons, G.A. See Roden *et al.*, 617.
Sinha, R.N. See White and Sinha, 1187.
Slessor, K.N. See Willis *et al.*, 1093.
Smith, B.P. Descriptions of larval *Arrenurus bartonensis* Cook, *Arrenurus birgei* Marshall, *Arrenurus neobirgei* Cook, and *Arrenurus rotundus* Marshall (Acari: Hydrachnidia; Arrenuridae), 77.
Smith, I.M. Description of two new species of *Stygameracarus* gen.nov. from North America, and proposal of Stygameracarinae subfam.nov. (Acari: Arrenuroidea: Athienemanniidae), 181.
Proposal of Nudomideopsidae fam.nov. (Acari: Arrenuroidea) with a review of North American taxa and description of a new subgenus and species of *Nudomideopsis* Szalay, 1945, 229.

Smith, L.B. See Barker and Smith, 393.
Smith, S.M. See You and Smith, 1167.
Soroka, J.J., and **P.A. Mackay**. Seasonal occurrence of the pea aphid, *Acyrthosiphon pisum* (Harris) (Homoptera: Aphididae), on cultivars of field peas in Manitoba and its effects on pea growth and yield, 503.
Growth of pea aphid, *Acyrthosiphon pisum* (Harris) (Homoptera: Aphididae), populations on caged plants of six cultivars of field peas and the effects of pea aphids on harvest components of caged field peas, 1193.
Population growth of the pea aphid, *Acyrthosiphon pisum* (Harris) (Homoptera: Aphididae), and plant response to aphid numbers in commercially grown field peas in Manitoba, 1201.
Specht, H.B. See Neil and Specht, 1259.
Spence, J.R. See Sperling and Spence, 29.
See Kelker *et al.*, 1247.
Sperling, F.A.H., and **J.R. Spence.** Allozyme survey and relationships of *Limnoporus* Stål species (Heteroptera: Gerridae), 29.
Stephen, F.M. See Goldhammer *et al.*, 407.
Stock, A.J., J.H. Borden, T.L. Pratt, H.D. Pierce, Jr., and **B.D. Johnston.** *Endo*-Brevicomin: an antiaggregation pheromone for the western balsam bark beetle, *Dryocoetes confusus* Swaine (Coleoptera: Scolytidae), 935.
Story, J.M. See McDermott *et al.*, 767.
St. Pierre, R.G., and **D.M. Lehmkuhl.** Phenology of *Hoplocampa montanicola* Rohwer (Tenthredinidae), and *Anthonomus qradrigibbus* Say (Curculionidae) on their host plant *Amelanchier alnifolia* Nutt. (Rosaceae) in Saskatchewan, 901.
Streett, D.A. See Oma *et al.*, 583.
Sweeney, J.D., J.A. McLean, and **R.F. Shepherd.** Factors affecting catch in pheromone traps for monitoring the western spruce budworm, *Choristoneura occidentalis* Freeman, 1119.
Tavares, A.F., and **D.D. Williams.** Life histories, diet, and niche overlap of three sympatric species of Elmidae (Coleoptera) in a temperate stream, 563.
Thier, R.W., and **M.A. Marsden.** Vertical growth response of ponderosa pine infested by western pine shoot borer, *Eucosma sonomana* Kearfott (Lepidoptera: Olethreutidae), 343.
Thistlewood, H.M.A., J.H. Borden, and **R.C. McMullen.** Seasonal abundance of the mullein bug, *Campylomma verbasci* (Meyer) (Heteroptera: Miridae), on apple and mullein in the Okanagan Valley, 1045.
Timlick, B. See Palaniswamy *et al.*, 1211.
Trimble, R., D.J. Pree, and **P.M. Vickers.** Survey for insecticide resistance in some Ontario populations of the apple leafminer parasite, *Pholetesor ornigis* (Weed) (Hymenoptera: Braconidae), 969.
Troubridge, J.T., and **K.W. Philip.** A new species of *Colias* (Lepidoptera: Pieridae) from arctic Canada, 15.
Van Frankenhuyzen, K. Effect of temperature and exposure time on toxicity of *Bacillus thuringiensis* Berliner spray deposits to spruce budworm, *Choristoneura fumiferana* Clemens (Lepidoptera: Tortricidae), 69.
See Nealis and van Frankenhuyzen, 585.
Vernon, R.S. See Cusson *et al.*, 537.
Vernon, R.S., J.R. Mackenzie, and **D.L. Bartel.** Monitoring tuber flea beetle, *Epitrix tuberis* Gentner (Coleoptera: Chrysomelidae), on potato: parameters affecting the accuracy of visual sampling, 525.
Vickers, P.M. See Trimble *et al.*, 969.
Vockeroth, J.R. Revision of the nearctic species of *Platycheirus* (Diptera, Syrphidae), 659.
Völkl, W., and **M. Mackauer**. Age-specific pattern of host discrimination by the aphid parasitoid *Ephedrus californicus* Baker (Hymenoptera: Aphidiidae), 349.
White, N.D.G. See Madrid *et al.*, 515.
White, N.D.G., and **R.N. Sinha.** Effects of sub-lethal exposures to malathion or chlorpyrifos-methyl on offspring production by some stored-product beetles, 1187.
Whitmore, M.C. See Bedard *et al.*, 459.
Wiedenmann, R.N. See O'Neil and Wiedenmann, 285.
Wiedenmann, R.N., and **R.J. O'Neil.** Effects of low rates of predation on selected life-history characteristics of *Podisus maculiventris* (Say) (Heteroptera: Pentatomidae), 271.
Williams, D.D. See Tavares and Williams, 563.
Willis, L.G., M.L. Winston, and **K.N. Slessor.** Queen honey bee mandibular pheromone does not affect worker ovary development, 1093.
Wilson, G.G. See Sanders and Wilson, 419.
Winston, M.L. See Willis *et al.*, 1093.
Wood, D.L. See Fox *et al.*, 1157.
Xie, Y.S., J.T. Arnason, B.J.R. Philogène, J.D.H. Lambert, J. Atkinson, and **P. Morand.** Role of 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one (DIMBOA) in the resistance of maize to western corn rootworm, *Diabrotica virgifera virgifera* (LeConte) (Coleoptera: Chrysomelidae), 1177.
Ying, C.C. See Alfaro and Ying, 607.

You, M., and **S.M. Smith.** Simulated management of an historical spruce budworm population using inundative parasite release, 1167.